

## THE ANATOMICAL STRUCTURE AND FUNCTIONAL ORGANIZATION OF THE HUMAN KIDNEY

**Kadirova M**

Andijan State Medical Institute, Uzbekistan

**Abstract:** The human kidney is a paired excretory organ essential for maintaining fluid balance, electrolyte homeostasis, and the elimination of metabolic waste. Each kidney demonstrates a highly specialized anatomical structure that supports its role in filtration, secretion, and reabsorption. This article reviews the gross and microscopic anatomy of the kidney, its vascular supply, and its functional correlations. Emphasis is placed on the clinical importance of renal anatomy for surgery, nephrology, and transplantation.

**Keywords:** kidney anatomy, nephron, renal cortex, renal medulla, renal circulation, functional anatomy.

### Introduction

The kidneys, located retroperitoneally in the posterior abdominal wall, are vital organs for the maintenance of homeostasis. Each kidney weighs approximately 120–170 grams and measures about 10–12 cm in length. Their position, partially protected by the lower ribs, reflects their significance in human physiology. The kidneys regulate water and electrolyte balance, remove metabolic by-products such as urea and creatinine, and secrete hormones including renin, erythropoietin, and calcitriol.

The study of renal anatomy is critical for medical education and clinical practice. Historically, the understanding of kidney structure progressed from ancient concepts of humoral theory to the discovery of nephrons as the functional units of the kidney. Today, modern imaging methods such as ultrasound, CT, and MRI, together with histological studies, provide detailed insights into renal morphology. This paper aims to provide a comprehensive review of the kidney's structural and functional anatomy, highlighting its relevance in modern medicine.

### Methods

This review article is based on data obtained from anatomical textbooks, cadaveric dissections, histological investigations, and radiological studies. Literature was searched in PubMed and Scopus databases from 2000 to 2025. Inclusion criteria focused on publications describing gross renal anatomy, histology, vascular supply, and clinical correlations. Studies that exclusively addressed pathological mechanisms without structural analysis were excluded. Selected information was synthesized to integrate gross and microscopic perspectives with functional and clinical aspects.

### Results

**Gross Anatomy:** Each kidney has a convex lateral and concave medial surface, where the hilum provides entry and exit for the renal artery, renal vein, lymphatics, and ureter. Internally, the kidney is divided into the outer renal cortex and the inner renal medulla. The medulla contains

renal pyramids, whose apices form papillae opening into minor calyces, which unite into major calyces and then form the renal pelvis.

**Vascular Supply:** The kidneys receive approximately 20–25% of cardiac output. The renal artery, a branch of the abdominal aorta, enters the hilum and divides into segmental, interlobar, arcuate, and interlobular arteries, ultimately supplying the afferent arterioles of nephrons. Venous return parallels arterial distribution, draining into the renal vein and inferior vena cava.

**Microscopic Anatomy:** The nephron is the functional unit of the kidney, with approximately one million nephrons per kidney. Each nephron consists of a renal corpuscle (Bowman's capsule and glomerulus) and a tubular system (proximal convoluted tubule, loop of Henle, distal convoluted tubule, and collecting duct). Juxtaglomerular apparatus cells regulate blood pressure and glomerular filtration via renin secretion.

**Functional Correlations:** The kidneys filter about 180 liters of plasma daily, reabsorbing essential substances and excreting waste. They regulate electrolyte concentrations, maintain acid-base balance, and contribute to blood pressure regulation through the renin-angiotensin-aldosterone system.

## Discussion

The structure of the kidney is perfectly adapted to its diverse functions. The cortical-medullary organization supports efficient filtration and urine concentration, while the highly vascularized glomeruli ensure effective exchange. Knowledge of renal anatomy has direct clinical applications in nephrology, urology, and transplant surgery. For example, precise understanding of vascular segmentation is essential during partial nephrectomy or renal transplantation.

Congenital anomalies such as horseshoe kidney, variations in vascular supply, and ureteral duplications underscore the importance of detailed anatomical knowledge in clinical practice. Furthermore, advances in laparoscopic and robotic surgery have increased the demand for accurate anatomical orientation. Modern imaging technologies allow early diagnosis of renal pathologies, guiding interventions.

## Conclusion

The kidney exemplifies the relationship between anatomical structure and physiological function. Its lobular architecture, nephron organization, and vascular arrangement collectively ensure efficient filtration, secretion, and reabsorption. Understanding renal anatomy is fundamental for both basic science and clinical disciplines. In surgery and transplantation, precise knowledge of renal vasculature and segmental organization reduces complications and improves outcomes. In nephrology, correlating structural changes with functional impairment is essential for managing chronic kidney disease. Looking forward, integration of classical anatomical knowledge with modern imaging, molecular biology, and regenerative medicine will further enhance our ability to diagnose, treat, and potentially regenerate renal tissue.

Clinically, a detailed understanding of renal anatomy is indispensable. The precise knowledge of vascular segmentation is vital for nephron-sparing surgeries, renal transplantation, and interventional radiology. Surgeons rely on the awareness of segmental arteries and venous variations to minimize intraoperative bleeding and preserve functional renal tissue. Similarly, nephrologists and pathologists must interpret structural alterations such as glomerular sclerosis, tubular atrophy, and vascular compromise in the context of chronic kidney disease. Thus,

anatomy provides the foundational link between microscopic pathology and systemic dysfunction.

In medical education, renal anatomy is not only taught as a subject of gross dissection and histology but also as an integrative model connecting physiology, pathology, and clinical practice. With advances in 3D imaging, virtual reality, and high-resolution radiological techniques, students and clinicians can now visualize the kidney in ways that were previously impossible, enhancing both understanding and surgical precision.

Looking toward the future, renal anatomy will continue to play a central role in research areas such as regenerative medicine and bioengineering. The kidney's limited regenerative potential has made it a focus of stem cell therapy, organoid culture, and artificial kidney development. A thorough grasp of renal microarchitecture, including the nephron's functional complexity and the juxtaglomerular apparatus, is crucial for the success of such innovations.

In conclusion, the kidney is not merely an excretory organ but a sophisticated regulatory system whose structure underpins its diverse and life-sustaining functions. A comprehensive understanding of its gross and microscopic anatomy remains fundamental for advancing nephrology, urology, transplantation medicine, and biomedical research. As global rates of renal disease continue to rise, anatomical knowledge will remain indispensable in guiding prevention, diagnosis, treatment, and the exploration of novel therapeutic strategies aimed at preserving or restoring renal function.

#### References:

1. Standring S. *Gray's Anatomy: The Anatomical Basis of Clinical Practice*. 42nd ed. Elsevier; 2020.
2. Moore KL, Dalley AF, Agur AMR. *Clinically Oriented Anatomy*. 9th ed. Wolters Kluwer; 2023.
3. Netter FH. *Atlas of Human Anatomy*. 8th ed. Elsevier; 2022.
4. Satyapal KS, et al. The renal arteries: a review of variations and clinical relevance. *Clin Anat*. 2001;14(1):42–47.
5. Osman Y, et al. Laparoscopic partial nephrectomy: anatomical considerations and clinical outcomes. *J Urol*. 2010;184(2):491–497.
6. Chevalier RL. Developmental renal anomalies and clinical implications. *Pediatr Nephrol*. 2021;36(3):529–541.