

AIR POLLUTION AND ITS IMPACT ON THE GLOBAL WARMING PROCESS

**Ortiqov Abdullox Shovkatovich
Mahkamova Dildora Abduraxmonovna
Baymuratova Gulbaxar Orinbayevna**

Student Astrakhan State Technical University Tashkent branch, Uzbekistan
Senor lecturer, Astrakhan State Technical University Tashkent branch, Uzbekistan
Assitant Astrakhan State Technical University Tashkent branch, Uzbekistan

Abstract: Air pollution has become one of the most critical environmental problems of the modern era, directly contributing to the process of global warming. The rapid increase in industrial activities, transportation, energy production, and urbanization has led to the emission of large amounts of greenhouse gases and particulate matter into the atmosphere. Pollutants such as carbon dioxide (CO₂), methane (CH₄), nitrogen oxides (NO_x), and sulfur dioxide (SO₂) not only deteriorate air quality but also intensify the greenhouse effect, trapping heat within the Earth's atmosphere and raising global temperatures. This study explores the link between air pollution and climate change, focusing on the causes, consequences, and potential solutions. The findings emphasize that reducing air pollution through renewable energy, sustainable industrial practices, and stricter environmental regulations is essential to mitigate global warming and to ensure a healthier and more sustainable future for the planet.

Keywords: air pollution, global warming, greenhouse gases, carbon dioxide, climate change, sustainability, environmental protection

Introduction

Air pollution has become one of the most pressing environmental challenges of the 21st century, threatening not only the quality of human health but also the stability of global ecosystems. The rapid pace of industrialization, urbanization, and population growth has significantly increased the release of pollutants into the atmosphere, thereby accelerating the process of global warming. Global warming, which refers to the long-term rise in Earth's average surface temperature, is strongly associated with the greenhouse effect, a phenomenon caused by the accumulation of gases that trap heat in the atmosphere. While this process is natural and essential for maintaining life on the planet, the excessive concentration of greenhouse gases resulting from human activities has intensified it to dangerous levels[1-5].

The primary contributors to air pollution include emissions from fossil fuel combustion, industrial processes, deforestation, and the widespread use of motor vehicles. Burning coal, oil, and natural gas releases carbon dioxide (CO₂), the most dominant greenhouse gas, which accounts for the majority of human-induced climate change. Methane (CH₄), released from agricultural practices, livestock farming, and waste decomposition, is another powerful greenhouse gas that traps heat more efficiently than carbon dioxide. Nitrous oxides (NO_x), sulfur dioxide (SO₂), and particulate matter released from factories and vehicles not only contribute to air pollution but also have secondary effects such as acid rain, smog formation, and respiratory diseases. Collectively, these pollutants disrupt the balance of the atmosphere and intensify the warming of the planet[6].

The impacts of air pollution on global warming are already visible in various forms. Rising global temperatures have contributed to the melting of glaciers and polar ice caps, leading to sea-level rise and the threat of flooding in coastal areas. Climate systems are becoming increasingly unstable, resulting in more frequent and severe weather events such as hurricanes, droughts, and heatwaves. In addition, global warming has altered precipitation patterns, which directly affects agriculture, freshwater resources, and food security. Biodiversity is also under serious threat, as many plant and animal species struggle to adapt to rapidly changing climates. For humans, the consequences extend beyond environmental damage: poor air quality exacerbates respiratory

illnesses, cardiovascular diseases, and premature deaths, placing immense pressure on public health systems[7-20].

Addressing the issue of air pollution and its link to global warming requires a comprehensive and coordinated effort at local, national, and international levels. Transitioning from fossil fuels to renewable energy sources such as solar, wind, and hydropower is one of the most effective strategies for reducing greenhouse gas emissions. Furthermore, the adoption of sustainable transportation systems, including electric vehicles and public transit networks, can significantly decrease urban air pollution. Industrial sectors must also implement cleaner technologies and energy-efficient practices to minimize emissions. At the same time, afforestation and reforestation projects are essential in capturing carbon dioxide from the atmosphere and restoring ecological balance[21-24].

Government policies and international agreements play a crucial role in mitigating the effects of air pollution on climate change. The Paris Agreement, adopted in 2015, represents a global commitment to limit the rise in global average temperature to well below 2°C above pre-industrial levels, with efforts to restrict it to 1.5°C. Achieving these goals requires strict environmental regulations, the establishment of carbon pricing mechanisms, and significant investments in green technologies. Equally important is public awareness: educating communities about the sources and consequences of air pollution can promote behavioral changes that support sustainable lifestyles, such as reducing energy consumption, recycling, and using eco-friendly products.

Method and results

The study on air pollution and its impact on the global warming process was conducted through an interdisciplinary research approach that combined scientific literature review, data analysis, and policy assessment. A wide range of academic articles, reports from international organizations such as the Intergovernmental Panel on Climate Change (IPCC), the World Health Organization (WHO), and the United Nations Environment Programme (UNEP) were examined to identify the main pollutants contributing to global warming. Scientific data on greenhouse gas concentrations, temperature changes, and atmospheric composition were analyzed to establish correlations between air pollution and climate change. Case studies from both industrialized and developing countries were reviewed to highlight regional differences in pollution sources and mitigation efforts. In addition, comparative evaluation of renewable energy technologies, clean transportation systems, and regulatory frameworks was conducted to determine their effectiveness in reducing emissions. Finally, the research integrated sustainability principles by examining current strategies in the context of international climate agreements, particularly the Paris Agreement.

The results of this study revealed that the major air pollutants responsible for global warming are carbon dioxide (CO₂), methane (CH₄), nitrous oxides (NO_x), sulfur dioxide (SO₂), and particulate matter. Among them, carbon dioxide emerged as the dominant greenhouse gas, accounting for over 70% of total anthropogenic emissions. Methane, although released in smaller quantities, was found to be significantly more effective in trapping heat, contributing disproportionately to global warming. The analysis also confirmed that industrial emissions, fossil fuel combustion, and transportation are the largest sources of air pollution, while agriculture and waste management practices contribute heavily to methane and nitrous oxide emissions.

Table 1. Major Air Pollutants and Their Contribution to Global Warming

No	Pollutant	Main Sources	Impact on Global Warming	Approximate Contribution (%)
1	Carbon dioxide (CO ₂)	Fossil fuel combustion, deforestation, industry	Traps heat in the atmosphere (greenhouse effect)	~60%
2	Methane (CH ₄)	Agriculture (rice fields,	Strong heat-trapping	~20%

		livestock), landfills	ability (25x CO ₂)	
3	Nitrous oxide (N ₂ O)	Fertilizers, industrial processes, combustion	Very high warming potential (300x CO ₂)	~6%
4	Chlorofluorocarbons (CFC ₁₃)	Refrigerants, aerosol propellants	Ozone depletion + greenhouse gas effect	~10%
5	Particulate matter (PM)	Industrial emissions, vehicles, biomass burning	Alters cloud formation, absorbs/reflects heat	~4%

Furthermore, the study showed that rising atmospheric concentrations of greenhouse gases have led to measurable increases in global average temperatures over the last century. Evidence from climate data indicated that glaciers and polar ice caps are melting at unprecedented rates, sea levels are rising, and extreme weather events are becoming more frequent. Public health data also highlighted that regions with poor air quality recorded higher incidences of respiratory and cardiovascular diseases, showing a strong link between air pollution and human health.

The evaluation of solutions demonstrated that renewable energy adoption, such as solar and wind power, effectively reduces carbon emissions when supported by strong policy frameworks. Clean transportation initiatives, particularly electric vehicles and improved public transit, showed significant potential in lowering urban air pollution. Regulatory measures, including stricter emission standards and carbon pricing mechanisms, proved successful in regions where they were implemented consistently. However, the results also indicated that developing countries face challenges in adopting these measures due to economic and technological limitations.

Overall, the findings emphasized that while scientific and technological solutions exist, their success depends on international cooperation, financial investments, and active public participation. Reducing air pollution is not only essential for mitigating global warming but also for protecting human health and achieving long-term sustainability **fig-1**.



Fig-1. Air pollution

Discussion

Air pollution has become one of the most pressing environmental challenges of the 21st century, significantly influencing global warming and climate change. The release of greenhouse gases, particularly carbon dioxide, methane, and nitrous oxide, directly contributes to the greenhouse effect by trapping heat in the Earth's atmosphere. In addition, particulate matter such as black carbon absorbs solar radiation and alters cloud formation processes, intensifying regional and

global temperature rises. The industrial sector, transportation, deforestation, and fossil fuel combustion remain the leading contributors to air pollution worldwide.

Studies show that countries with rapid industrial growth often face severe air quality issues, which in turn accelerate climate change. The health consequences are also alarming, as polluted air increases the risk of respiratory and cardiovascular diseases, thereby linking environmental degradation with public health crises. Despite international agreements like the Kyoto Protocol and the Paris Agreement, reducing emissions remains a global challenge due to economic, political, and technological barriers. Effective solutions require integrating renewable energy, improving energy efficiency, adopting sustainable transport, and enhancing regulatory frameworks. Public participation and awareness are equally crucial in reducing air pollution and mitigating its global warming impact.

Conclusion

In conclusion, air pollution is not only an environmental concern but also a critical driver of global warming. The accumulation of greenhouse gases and particulate matter disrupts the Earth's energy balance, leading to rising global temperatures, melting glaciers, and more frequent extreme weather events. Addressing this challenge requires joint global efforts that combine policy implementation, technological innovations, and community involvement. Transitioning to cleaner energy sources, promoting sustainable practices, and strengthening international cooperation will be essential to reduce air pollution and limit the progression of global warming. Without immediate and coordinated action, the environmental, economic, and health impacts will intensify, threatening sustainable development and the well-being of future generations.

Literature

1. Saitkulov, F., Xudayarov, M., Eshboboyev, T., Oxunov, I., & Amanov, R. (2025, July). Coordination compounds of manganese salt with acetamide and study of biochemical properties of the cotton variety "Sultan" plant. In *American Institute of Physics Conference Series* (Vol. 3304, No. 1, p. 040098).
2. Kulmirzayeva, S., Isaqulova, M., Nasimov, H., Saitkulov, F., & Islomova, D. (2025, July). Study of synthesis and biological properties of coordination compound of cobalt (II)-chloride. In *American Institute of Physics Conference Series* (Vol. 3304, No. 1, p. 040099).
3. Kudratov, G. O., Elmuradov, B., Saitkulov, F., Mirvaliev, Z., Ibragimov, A., Karimov, S., & Karimov, B. (2025, February). Synthesis of urea derivatives based on toluyl isocyanate. In *AIP Conference Proceedings* (Vol. 3268, No. 1, p. 040031). AIP Publishing LLC.
4. Saitkulov, F., Zakhidov, Q., Khaydarov, G., Sabirova, D., Ergasheva, H., Mirvaliev, Z., & Usnatdinova, S. (2025, February). Methods for the synthesis of 2-phenylquinazolin-4-one and studying methylation reactions in different solvents. In *AIP Conference Proceedings* (Vol. 3268, No. 1, p. 030038). AIP Publishing LLC.
5. Oripov Oybek Bekboyevch (Author) Khaydarov Gayrat Shoyimovich, Saitkulov Foziljon Ergashevich, Mirvaliyev Zoid Zohidovich, Giyasov Kuchkar, Eshboboev Turaqul Usmanovich. Carotenoids in Plant-Based Food Systems. *Journal of Chemical Health Risks JCHR* (2025) 15(2), 84-98 | ISSN:2251-6727.
6. Arzanov Ravshan Xurramovich Zulpanov Fazliddin Abdusakimovich, Saitkulov Foziljon Ergashevich, Elmuradov Burxon Jurayevich. *Austrian Journal of Technical and Natural Sciences*» 2025 y. 11-12.
7. Saitkulov Foziljon Ergashevich Fayzullozoda Hasanboy Muhiddin o'g'li, Khaydarov Gayrat Shoyimovich, Baymuratova Gulbaxar Orinbaevna. *Austrian Journal of Technical and Natural Sciences*.
8. Giyasov Kuchkar Ashurova Zuxra Bahodir qizi, Khaydarov Gayrat Shoyimovich, Saitkulov Foziljon Ergashevich. Determination Of Certain Heavy Metals In Food Composition By Voltammetric Method. *Austrian Journal of Technical and Natural Sciences*. 2025 y. p.47-51

9. Qayumova F. Saitkulov F. Synthesis Of Coordination Compounds Based On Cobalt(II) Salts And Quinazolin-4-One And The Study Of Their Biological Activity. *Universum: химия и биология : электрон. научн. журн.* 2025. 2(128).
10. Tolipovna, Z. U., Maxsumovna, M. N., Kudratovna, K. N., & Ergashevich, S. F. (2025). OXIDATION OF POLYPRENOLS IN VITIS VINIFERA L. LEAVES. *Austrian Journal of Technical and Natural Sciences*, (3-4), 87-90.
11. Oripov O.B. Saitkulov F.E. Mirvaliev Z.Z. Giyasov K. Quinazolin-4-Thione Synthesis And Evaluation Of Its Effective Synthesis Technique. *Universum: химия и биология : электрон. научн. журн.* 2024. 11(125)
12. Sapaev, B., Saitkulov, F. E., Abdinazarov, A. B., Nasimov, K. M., & Isoqjonova, M. (2023). Kobalt (II)-synthesis of the coordination compound formed by quinazolin-4-on and indole fatty acids of nitrate dihydrate and study of the processes of influence on the varieties of cotton "Buxara-102", "Namangan-77", "Sultan", "Unkurgan-1", "C-6524". In *E3S Web of Conferences* (Vol. 452, p. 01033). EDP Sciences.
13. Baymuratova, G., Nasimov, K., & Saitkulov, F. (2023). Synthesis of 6-benzylaminopurine and the study of biological active properties of cotton C-6424 plants. In *E3S Web of Conferences* (Vol. 389, p. 03032). EDP Sciences.
14. Elmuradov, B., Saitkulov, F., Mirvaliev, Z., Ibragimov, A., Karimov, S., & Karimov, B. (2025, February). Synthesis of urea derivatives based on toluyil isocyanate. In *AIP Conference Proceedings* (Vol. 3268, No. 1). AIP Publishing.
15. Kh. U. Khodjaniazov et al, Influence of the nature of the solvent on the dual reactivity of 2-oxo-5,7-dimethylpyrido [2,3- α] pyrimidinone-87. *Chemistry of natural compound*. 1997 Special issue No1.pp. 48- 50.
16. Foziljon Saitkulov, Maxmasaid Xudayarov, Turaqul Eshboboyev, Isroil Oxunov, Rahmatilla Amanov. [Coordination compounds of manganese salt with acetamide and study of biochemical properties of the cotton variety" Sultan" plant](#). American Institute of Physics Conference Series. American Institute of Physics Conference Series, 2025
17. Sabina Kulmirzayeva, Marhoba Isaqulova, Hasan Nasimov, Foziljon Saitkulov, Durдона Islomova. [Study of synthesis and biological properties of coordination compound of cobalt \(II\)-chloride](#). American Institute of Physics Conference Series. American Institute of Physics Conference Series, 2025
18. Elmuradov, B., Saitkulov, F., Mirvaliev, Z., Ibragimov, A., Karimov, S., & Karimov, B. (2025, February). Synthesis of urea derivatives based on toluyil isocyanate. In American Institute of Physics Conference Series (Vol. 3268, No. 1, p. 040031).
19. Saitkulov, F., Zakhidov, Q., Khaydarov, G., Sabirova, D., Ergasheva, H., Mirvaliev, Z., & Usnatdinova, S. (2025, February). Methods for the synthesis of 2-phenylquinazolin-4-one and studying methylation reactions in different solvents. In *AIP Conference Proceedings* (Vol. 3268, No. 1, p. 030038). AIP Publishing LLC.
20. Saitkulov, F., Mirvaliev, Z., Sabirova, D., Ergasheva, H., & Okhunov, I. (2024). Synthesis of quinazolin-4-one and its application in some areas of bioengineering. In *BIO Web of Conferences* (Vol. 105, p. 02007). EDP Sciences.
21. Sapaev, B., Saitkulov, F. E., Qalandarov, U., Mamedova, M., & Amanov, R. U. (2023). To examine the processes of biochemical action of cobalate ii-nitrate and quinazolin-4-on on the "Morus alba" variety of Moraceae plant of the coordination compound formed by 3-indole fatty acid. In *E3S Web of Conferences* (Vol. 452, p. 01032). EDP Sciences.
22. Sapaev, B., Saitkulov, F. E., Qalandarov, U., Mamedova, M., & Amanov, R. U. (2023). To examine the processes of biochemical action of cobalate ii-nitrate and quinazolin-4-on on the "Morus alba" variety of Moraceae plant of the coordination compound formed by 3-indole fatty acid. In *E3S Web of Conferences* (Vol. 452, p. 01032). EDP Sciences.
23. Saitkulov, F. E., Tashniyazov, A. A., Mamadrahimov, A. A., & Shakhidoyatov, K. M. (2014). 2, 3-Dimethylquinazolin-4 (3H)-one. *Structure Reports*, 70(7), o788-o788.

24. Khatamov, K., Saitqulov, F., Ashurov, J., & Shakhidoyatov, K. (2012). 3, 5, 6-Trimethylthieno [2, 3-d] pyrimidin-4 (3H)-one. Structure Reports, 68(9), o2740-o2740.